# **DATA SHEET**

Valid from: 04.12.2023



## Description

- Adapter M12D-RJ45
- Ehternet Cat5



#### General characteristic

Number of poles	4
Ambient temperature (operation)	-20 to +80 °C
Protection class	IP 67 (M12D) / IP 20 (RJ45)
Coding	D-Standard
Tightening torque	0.4 -1.6 Nm (M12 plug connector)
Mating cycles	≥ 100

## **Electrical properties**

Rated voltage	250V DC
Rated current at 50 °C	4 A
Degree of soiling	2

## Materials

Contact carrier, material
Contact surface, material
Knurl, material
Handle body, material

PVC Ni / Au Brass, nickel-plated PVC

#### Standard

Product standard, M12 plug connector

IEC 61076-2-101

	Creator: STKU3/PDP	Document: DB44429475EN	Daga 1 from 2		
	Released: IVSE1/PDP	Version: 00	Page 1 from 2		
1	We recerve all rights in accordance with DIN ISO 16016				


Valid from:


04.12.2023


EPIC® DATA M12D4FS-RJ45FS




# **Technical drawings**









# IZX I ′

Circuit diagram			
P1	COLOR	P2	
1	ORANGE/WHITE	1	
3	ORANGE	2	
2	BLUE/WHITE	3	
4	BLUE	6	
SHELL	BLACK	SHELL	

## Areas of application

Wall bushing for Ethernet connections

#### Hint

The photographs are not to scale and are not detailed images of the respective products.

	Creator: STKU3/PDP	Document: DB44429475EN	Page 2 from 2	
	Released: IVSE1/PDP	Version: 00	<u> </u>	
We recently all rights in accordance with DIN ICO 40040				